

evo next RECY 100

CARTE RICICLATE - RECYCLED PAPERS

PATINATA RICICLATA - RECYCLED COATED PAPER



Grammatura Substance	ISO 536	g/m^2	90	100	115	130	150	170	200	250	300	350
Spessore <i>Caliper</i>	ISO 534	μm	70	77	88	100	115	134	162	207	261	315
Volume specifico <i>Bulk</i>	ISO 534	cm^3/g	0.78	0.77	0.77	0.77	0.77	0.79	0.81	0.83	0.87	0.9
Liscio Bekk <i>Smoothness Bekk</i>	ISO 5627	s	500	500	500	450	400	350	300	200	150	100
Lucido Gardner <i>Gloss Gardner</i>	ISO 8254-1	%	40 max	40 max	45 max	45 max	45 max	45 max	45 max	45 max	45 max	45 max
Grado di bianco CIE <i>Whiteness CIE</i>	ISO 11475	%	120	120	120	120	120	121	121	121	121	121
Bianco ISO <i>Brightness ISO</i>	ISO 2470 (D65)	%	96	96	96	96	96	96	96	96	96	96
Opacità ISO <i>Opacity ISO</i>	ISO 2471	%	92.5	94	95	96	97 min	98 min	98 min	98 min	98 min	98 min

Finitura *Finishing*

Satin

Tipo di stampa *Printing methods*

High speed inkjet Full Colour

Applicazioni *End uses*

Brochure, Cataloghi, Direct Mailing, Manuali, Report commerciali e finanziari, Stampe commerciali
Brochures, Catalogues, Direct Mailing, Manuals, Business and financial reports, Commercial printing

Note

SUITABLE FOR NEW GENERATION INKJET PRESSES WITH PRIMER OR SPECIAL INKS

I valori relativi ai singoli prodotti sono forniti a titolo esemplificativo e possono essere soggetti a modifiche senza preavviso. Ogni valore è soggetto a determinate tolleranze.
Values referred to each quality are to be considered as reference data and could change without notice. Each value is subject to trade tolerances.

BURGO
GROUP